

Message

From: Springborg, Denise [Springborg.Denise@epa.gov]
Sent: 1/31/2022 5:14:05 PM
To: Downing, Jane [Downing.Jane@epa.gov]; Wortman, Eric [Wortman.Eric@epa.gov]; LeClair, Jacqueline [Leclair.Jackie@epa.gov]
CC: Cassidy, Meghan [Cassidy.Meghan@epa.gov]; Bird, Patrick [Bird.Patrick@epa.gov]; Timmermann, Timothy [Timmermann.Timothy@epa.gov]
Subject: RE: PFAS issues in Wainscott Letter

Hi Eric,

Ex. 5 Deliberative Process (DP)

Thanks and please let me know if you have any questions.
Denise

Denise C. Springborg, P.E.
Drinking Water Quality & Protection Section, Chief
EPA Region 1 Boston
617-918-1681

From: Downing, Jane <Downing.Jane@epa.gov>
Sent: Monday, January 31, 2022 11:45 AM
To: Wortman, Eric <Wortman.Eric@epa.gov>; Springborg, Denise <Springborg.Denise@epa.gov>; LeClair, Jacqueline <Leclair.Jackie@epa.gov>
Cc: Cassidy, Meghan <Cassidy.Meghan@epa.gov>; Bird, Patrick <Bird.Patrick@epa.gov>; Timmermann, Timothy <Timmermann.Timothy@epa.gov>
Subject: RE: PFAS issues in Wainscott Letter

Hi Eric
Thanks for the information.

Ex. 5 Deliberative Process (DP)

Have a good day
Jane

From: Wortman, Eric <Wortman.Eric@epa.gov>
Sent: Monday, January 31, 2022 11:03 AM
To: Downing, Jane <Downing.Jane@epa.gov>; Springborg, Denise <Springborg.Denise@epa.gov>; LeClair, Jacqueline <Leclair.Jackie@epa.gov>
Cc: Cassidy, Meghan <Cassidy.Meghan@epa.gov>; Bird, Patrick <Bird.Patrick@epa.gov>; Timmermann, Timothy <Timmermann.Timothy@epa.gov>
Subject: PFAS issues in Wainscott Letter

Hi Jane, Denise, and Jackie,

Ex. 5 Deliberative Process (DP)

Let me know who the best water contact is to collaborate with R2 and I'll pass it along.

Thanks,

Eric

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Monday, January 31, 2022 10:19 AM
To: DAgostino, Daniel <DAgostino.Daniel@epa.gov>; Aliu, Dorina <Aliu.Dorina@epa.gov>
Cc: Wortman, Eric <Wortman.Eric@epa.gov>; Petriman, Viorica <Petriman.Viorica@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hi Eric,

Ex. 5 Deliberative Process (DP)

Thanks,
Suilin

From: DAgostino, Daniel <DAgostino.Daniel@epa.gov>
Sent: Monday, January 31, 2022 9:30 AM
To: Aliu, Dorina <Aliu.Dorina@epa.gov>; Chan, Suilin <Chan.Suilin@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hello Suilin,

Ex. 5 Deliberative Process (DP)

Thanks,
Dan

From: Aliu, Dorina <Aliu.Dorina@epa.gov>
Sent: Monday, January 31, 2022 8:53 AM
To: Chan, Suilin <Chan.Suilin@epa.gov>; DAgostino, Daniel <DAgostino.Daniel@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Good Morning Suilin,

Thank you for bringing this to our attention. I am copying Dan D'Agostino from my team, who will be drafting the response, for his awareness.

Best,
Dorina

Dorina Aliu, P.E.
Chief, Drinking Water and Ground Water Protection Section
EPA Region 2
290 Broadway, New York, NY 10007
aliu.dorina@epa.gov
(212) 637-3959

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Monday, January 31, 2022 8:51 AM
To: Aliu, Dorina <Aliu.Dorina@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Good morning Dorina,

Ex. 5 Deliberative Process (DP)

Suilin

From: Aliu, Dorina <Aliu.Dorina@epa.gov>
Sent: Thursday, January 20, 2022 9:05 AM
To: Chan, Suilin <Chan.Suilin@epa.gov>; Wong, Virginia <Wong.Virginia@epa.gov>
Cc: Petriman, Viorica <Petriman.Viorica@epa.gov>; Wieber, Kirk <Wieber.Kirk@epa.gov>; Olivero Lora, Sofia <OliveroLora.Sofia@epa.gov>; Finocchiaro, Marco <Finocchiaro.Marco@epa.gov>; DAgostino, Daniel <DAgostino.Daniel@epa.gov>; Balla, Richard <Balla.Richard@epa.gov>; Ash, Christine <Ash.Christine@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Good Morning Suilin,

Thank you for the clarification. The February 3rd date works on our end. We will be in touch asap with our response.

Thank you,
Dorina

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Thursday, January 20, 2022 8:57 AM
To: Aliu, Dorina <Aliu.Dorina@epa.gov>; Wong, Virginia <Wong.Virginia@epa.gov>
Cc: Petriman, Viorica <Petriman.Viorica@epa.gov>; Wieber, Kirk <Wieber.Kirk@epa.gov>; Olivero Lora, Sofia <OliveroLora.Sofia@epa.gov>; Finocchiaro, Marco <Finocchiaro.Marco@epa.gov>; DAgostino, Daniel <DAgostino.Daniel@epa.gov>; Balla, Richard <Balla.Richard@epa.gov>; Ash, Christine <Ash.Christine@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Good morning Dorina,

Thanks for your quick response.

There is no due date when it was assigned to Region 2. My DD suggests that we start preparing a response without delay. Would it be possible to send me WD's piece by 2/3/2022 until further notice?

Thanks,
Suilin

From: Aliu, Dorina <Aliu.Dorina@epa.gov>
Sent: Wednesday, January 19, 2022 2:38 PM
To: Wong, Virginia <Wong.Virginia@epa.gov>; Chan, Suilin <Chan.Suilin@epa.gov>
Cc: Petriman, Viorica <Petriman.Viorica@epa.gov>; Wieber, Kirk <Wieber.Kirk@epa.gov>; Olivero Lora, Sofia <OliveroLora.Sofia@epa.gov>; Finocchiaro, Marco <Finocchiaro.Marco@epa.gov>; DAgostino, Daniel <DAgostino.Daniel@epa.gov>; Balla, Richard <Balla.Richard@epa.gov>; Ash, Christine <Ash.Christine@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hi Suilin,

It is nice to e-meet you.

We are happy to assist with putting together a response for this inquiry and will wait to hear back from you regarding a delivery date for the response.

Thank you,
Dorina

Dorina Aliu, P.E.
Chief, Drinking Water and Ground Water Protection Section
EPA Region 2
290 Broadway, New York, NY 10007
aliu.dorina@epa.gov
(212) 637-3959

From: Wong, Virginia <Wong.Virginia@epa.gov>
Sent: Wednesday, January 19, 2022 10:24 AM
To: Chan, Suilin <Chan.Suilin@epa.gov>
Cc: Petriman, Viorica <Petriman.Viorica@epa.gov>; Wieber, Kirk <Wieber.Kirk@epa.gov>; Olivero Lora, Sofia <OliveroLora.Sofia@epa.gov>; Finocchiaro, Marco <Finocchiaro.Marco@epa.gov>; DAgostino, Daniel <DAgostino.Daniel@epa.gov>; Aliu, Dorina <Aliu.Dorina@epa.gov>; Balla, Richard <Balla.Richard@epa.gov>; Ash, Christine <Ash.Christine@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hi Suilin,

Since the incoming references water issues related to Wetlands (CWA 404) and SDWA, we have the following team members (cc'd) for each to work with you on a response:

For Wetlands- Sofia Olivero Lora (on leave until next Monday; Marco can help if a quick response is needed)

For SDWA PFAS- Dan D'Agostino/Dorina Aliu

Hope this is helpful. Let us know if you need anything further for this response.

Thanks,
Virginia

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Tuesday, January 18, 2022 7:31 PM
To: Wong, Virginia <Wong.Virginia@epa.gov>
Cc: Petriman, Viorica <Petriman.Viorica@epa.gov>; Wieber, Kirk <Wieber.Kirk@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hi Virginia,

Attached is a controlled correspondence from Ms. Gouri Edlich of the Citizens for the Preservation of Wainscott (CPW) to Administrator Regan submitting concerns regarding water related PFAS issues from the construction of the South Fork wind energy project offshore of MA. This permit was issued by Region 1 today. The link to all related documents is: <https://www.epa.gov/caa-permitting/south-fork-wind-llcs-south-fork-windfarm-outer-continental-shelf-air-permit>.

There are basically 3 issues raised in this letter, 2 related to air and 1 related to water. The transmission cable that transmits energy from the wind farm to the substation in East Hampton, NY will pass NY water, and thus their water concerns. ARD has been assigned to prepare a response on behalf of Administrator Regan.

ARD will be developing the response to the 2 air issues. Would you please take a look at the attached letter and direct me to the right person in WD who should respond to the water issue? ARD is requesting an extension to the deadline and will let you know when we would need a response from WD once we find out.

Thanks,
Suilin

From: Cruz, Auria <Cruz.Auria@epa.gov>
Sent: Wednesday, January 12, 2022 2:56 PM
To: Ruvo, Richard <Ruvo.Richard@epa.gov>
Cc: Chan, Suilin <Chan.Suilin@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Here you go! 😊

Who should respond to this CMS?

Gracias
Auria

-----Original Message-----

From: Ruvo, Richard <Ruvo.Richard@epa.gov>

Sent: Wednesday, January 12, 2022 2:34 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Auria-

Please download a copy of the letter for me and Suilin. I'd like to review for my personal knowledge.
Thanks, Rick

-----Original Message-----

From: cmsadmin@epa.gov <cmsadmin@epa.gov>
Sent: Wednesday, January 12, 2022 2:08 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>; Ruvo, Richard <Ruvo.Richard@epa.gov>
Subject: CMS New Assignment - Danla Boykin - AX-22-000-1797

Control AX-22-000-1797 has been assigned to your office on 1/12/2022 2:08:25 PM by Danla Boykin. Please go to the CMS webpage to view the details of the control.

Summary Information -

Control Number: AX-22-000-1797

Control Subject: Reading File - Defect in South Fork Wind Revised Draft Air Permit: Failure to Require Offsets for Construction-Related Air Emissions

From: Edlich, Gouri Orekondy

Note: This Email was automatically generated. Please do not attempt to respond to it. You can access this control at <https://cms.epa.gov/cms>. Questions or comments concerning CMS should be directed to CMS Support at 202-564-4985 or CMS.Information@epa.gov.